



Engines

XF NewGen 370 MX-11 (270 kW / 367 hp)
 XF NewGen 410 MX-11 (300 kW / 408 hp)
 XF NewGen 450 MX-11 (330 kW / 449 hp)
 XF NewGen 430 MX-13 (315 kW / 428 hp)
 XF NewGen 480 MX-13 (355 kW / 483 hp)
 XF NewGen 530 MX-13 (390 kW / 530 hp)

GVM¹⁾

25498 kg

Max. front 7500 kg
 Max. rear 17998 kg

GCM²⁾

44000kg

Cab Exterior

Luxurious cab for XF series, with unrivalled aerodynamics for fuel efficient driving and low CO2 emissions. The huge and deep frontscreen, curved at the sides combined with large side windows offer an unsurpassed direct view for the driver, to enhance road safety. The cab interior is extremely comfortable for driving, living and sleeping with unprecedented spaciousness and practical layout. Cab length: 2360 mm; cab width: 2500 mm.; Cab suspension mechanical; Front view mirror; Central door lock system, 2 keys, 2 RC units.

Optional

01226 Cab suspension air

00949 LED Skylights; aux. LED lights on cab rf,
 prepared

03358	External sun visor	01891	Hazard beacons on cab front, prepared
06790	Aluminium ladder 1-piece	01900	Hazard beacons on cab rear, prepared
06791	Aluminium ladder 2-piece	06629	Two hazard beacon lights
04355	Air horns, prepared	03232	Front windscreen with solar control foil
00847	Air horns, single set	03317	Rear window: double glass
09006	Air horns, double set	07343	Kerb view window co-driver door
01043	LED head and cornering lights	01886	Laminated glass with solar control foil
01836	LED Skylights	01362	DAF Digital Mirror System

Aerodynamics

Optional

01805	Adj. roof air deflector short for XF cab	02889	Chassis bottom execution front: high
04906	Side collars	02952	Chassis bottom execution front: bottom plate aero

Colours

Cab colour E1980 Chrystal White; Chassis colour grey.

Cab Interior

Cab interior trim colour: Luxury; Cab interior decoration: Hexagon; Driver seat: Comfort Air; Co-driver seat: cinema with fabric cover; No upper bunk / no luggage carrier; Automatic Temperature Control and airco; Auxiliary cab heater (water).

Optional

02355	Steering wheel, leather	07748	Co-driver seat: Xtra Leather Air
02353	Cab interior decoration: Argenta	00967	Seat belts red
02350	Cab interior decoration: Natura	02823	Television, prepared
07733	Driver seat: Luxury Air	03948	Single drawer
07736	Driver seat: Super Air	04070	Two drawers
07737	Driver seat: Xtra Leather Air	03954	Refrigerator
03461	Co-driver seat: cinema + table; fabric cover	04050	Refrigerator and drawer
07741	Co-driver seat: Comfort Air	04069	Two refrigerators
03781	Co-driver seat: cinema with alcantara cover	02854	Xtra Comfort mattress for lower bunk
07743	Co-driver seat: Luxury Air	01775	Xtra Comfort mattress with topper for lower bunk
03849	Co-driver seat: cinema + table; alcantara cover	01177	Luggage carrier
03848	Co-driver seat: cinema with leather cover	01066	Upper bunk
07746	Co-driver seat: Super Air	06970	Automatic Cab Climate Control
03862	Co-driver seat: cinema + table; leather cover		

Communication & Driving Management

Tachograph digital, Stoneridge 1C; Speed limiter setting 85 km/h; Eco off 90 km/h; Antennas: radio, 2x cellular, GNSS; Adaptive Cruise Control with FCW and AEBS-CM2.

Optional

09681	Preparation for Maut	02825	DAF Infotainment System: Luxury
02828	DAF Infotainment System: Exclusive	06991	Predictive Cruise Control

Safety & Security

Lane Departure Warning System; Vehicle Stability Control (VSC); Basic engine immobiliser system.

Optional

02178	Main switch with second control in the cab	00795	Safety regulations EC ADR
01725	Reverse warning	01963	City turn assist
06410	Safe Load Pass preparation		

Suspension & Axles

Front axle load 8.00 t; Rear axle SR1344; Lifting device.

Optional

01769	Front axle load 7.50t	04057	Rear axle HR1356
06257	Front axle load 9.00t	04588	Rear axle SR1347
04047	Front springs air	08191	Axle load monitoring

Wheels & Tyres

Front axle(s): 315/60R22.5; Second front or leading axle: 315/60R22.5; Driven rear axle(s): 295/60R22.5; Disc wheels steel, silvergrey; Wheel protection rings silvergrey.

Optional

06877	Disc wheels steel, black	02434	Wheels aluminium Alcoa Dura-Bright 32 mm
06879	Wheels aluminium Alcoa Brushed 32 mm	06152	Tyre makes and types

Driveline

Engine MX-11, multi torque 6 cylinder diesel engine, 10.8 litres. Output 330 kW (449 hp) at 1600 rpm. Maximum torque 2300 Nm at 900-1125 rpm.; Exhaust emission Euro 6; Engine idle shutdown, 5 minutes; Automated gearbox, TraXon, 12 speeds; Gearbox ratio 16.69-1.00; Rear axle ratio 2.05; ASR.

Optional

07103	Automated gearbox, TraXon, 16 speeds	02314	Gearbox overdrive
--------------	--------------------------------------	--------------	-------------------

Brake System

MX Engine Brake; Park brake control pneumatic; Ventilated disc brakes front and rear. Dual circuit air system with electronic control (EBS).

Optional

02715 ZF Intarder

04901 Spring brake cylinders on the first front axle

Chassis

Wheelbase 3.95 m / rear overhang 0.99 m; Side member height 260 mm; Exhaust pipe horizontal, low; Tank for AdBlue® 80 l, on left-hand mudguard; Front underrun protection (FUP); Catwalk with step; Rear mudguards; Spray suppression; Work lamp LED.

Optional

03624 One wheel chock

03323 Rear light with LEDs

06306 Two wheel chocks

Drawbar & Trailer Equipment

; Fifth wheel KA dimension 920 mm; Lead-up ramps; Pneumatic trailer connection C-type; Electric connection 24 V / 2x7 pins.

Bodies & Preparations for Bodying

Optional

03225 Application connector flexible

Power Take-Off (PTO)

Optional

16148 PTO types & positions

Electrical Power Supply

Alternator 110 A, batteries 2x 230 Ah.

Optional

04492 Alternator 130 A

08797 Batteries 2x175Ah

08775 Alternator 150 A

07671 Batteries 2x210Ah AGM C-type

GVM & GCM

Chassis weight related technical GVM max 26600 kg; Driveline related max GCM 50000 kg class 3.

Optional

00200 Driveline related max GCM 38000 kg class 2

00939 Driveline related max GCM 56000 kg class 2

00209 Driveline related max GCM 40000 kg class 3

00818 Driveline related max GCM 60000 kg class 3

03673 Driveline related max GCM 44000 kg

class 2

Application Conditions

Air intake front.

Optional

02260 Extra cab insulation


Service & Maintenance

Standard Warranty takes care of 1 year complete vehicle, 2nd year driveline and 1st year breakdown.; ITS service.

Optional

08311 Service interval extended

NG DAF XF 450 FTG 6X2



XF CAB	Wheelbase - AE		Unladen weight ⁴⁾			Gross Carrying Capacity			Variable dimensions									
	WB	AE ⁵⁾	Front	Rear	Total	Front	Rear	Total	AC	CE	CH ⁶⁾	KA ⁷⁾	TL	HA ⁸⁾	HA ⁹⁾	TK ¹⁰⁾	TW ¹¹⁾	
	3,95	0,99	4849	3281	8130	2651	14717	17368	0,83	4,11	2,71	0,92	6,47	0,93	0,91	12,65	14,01	
	4,15	0,99	4861	3314	8174	2639	14685	17324	0,83	4,31	2,71	0,77	6,67	0,93	0,91	13,17	14,54	
OTHER DIMENSIONS			VA: 1,53		WB: 1,32	HV ¹²⁾ : 0,94	HV ¹³⁾ : 0,89	RB: 0,79	SB: 1,82	TB ¹⁴⁾ : 2,46								

- 1) GVM in conformity with registration documents.

2) GCM in conformity with registration documents.

3) Axle load with standard tyre size.

4) Chassis and cab weight calculated with: Standard specification items only with 400 litres of fuel, 80 litres of AdBlue® and driver of 90 kg, tolerance ± 3%. Changing of the specification can have major impact on vehicle weight.

5) Other AE dimensions may be available for shown WB.

6) Cab height is measured from frame member to closed cabin roof hatch.

7) Calculate customer specific KA with TOPEC.
- 8) Unladen height at centre of driven axle(s).

9) Laden height at centre of driven axle(s).

10) TK = turning circle between kerbs.

11) TW = turning circle between walls.

12) Unladen height at centre of front axle(s).

13) Laden height at centre of front axle(s).

14) TB is overall width at rear. (At centre of front axle 255).

Depending on the vehicle configuration a specific option may not be possible. Pictures and technical illustrations are not binding in detail and can differ from the standard specification. Subject to modification without prior notice.